dihonline



Ready-Made Handrail Kits

dlhonline.co.uk is a division of Dale Lifting and Handling Specialists 2 Kelbrook Road, Parkhouse Street Industrial Estate, Manchester, M11 2QA Felephone 0161 223 1990 Email mezzbarriers@dale-lifting.co.uk www.dlhonline.co.uk

Ready-made Galvanised Handrail Kits



- Ttube diameters 42.4 mm and 48.3 mm
- Posts are 1100 mm high jig assembly ensures accurate alignment
- Ready cut handrails for posts at 1500 mm centres
- All galvanised finish for durability BS EN ISO1461:2009
- No cutting or welding on site Stainless steel Hex screw assembly.
- Flange bases for easy attachment to level surface



End Post Comprises galvanised tube 1100 mm o/all high, 132 base flange, 101 short tee, 125 90 degrees 2-way elbow

Middle Post

Comprises galvanised tube 1100 mm o/all high, 132 base flange, 119 2 socket cross, 104 long tee



Corner Post Comprises galvanised tube 1100 mm o/all high, 132 base flange,

116 3 way through corner, 128 corner elbow 3 way 90 degrees



End 'P' Section Comprises galvanised tube 1100 mm post o/all high, with 300 mm wide extension - 132 base flange, 119 2 socket cross, 104 long tee, 2 x 125 90 degrees 2-way elbow



End Wall Flanges Comprises galvanised 2 No. (Pair) Part No. 131 wall flanges



Handrails Galvanised cut ready for 1500 mm post centres - 2 No. (Pair)

Ready-Made Safety Yellow Handrail Kits



- Tube diameters 42.4 mm and 48.3 mm
- Posts are 1100 mm high jig assembly ensures accurate alignment of galvanised clamps
- Ready cut handrails for posts at 1500 mm centres
- Tube with thermoplastic durable coating
- No cutting or welding on site Stainless steel Hex screw assembly.
- Flange bases for easy attachment to level surface



End Post Comprises Safety yellow tube 1100 mm o/all high, 132 base flange, 101 short tee,



End 'P' Section Comprises Safety yellow tube 1100 mm post o/all high, with 300 mm wide extension - 132 base flange, 119 2 socket cross, 104 long tee, 2 x 125 90 degrees 2-way elbow

Middle Post Comprises Safety yellow tube 1100 mm o/all high, 132 base flange, 119 2 socket cross, 104 long tee



Corner Post Comprises Safety yellow tube 1100 mm o/all high, 132 base flange, 116 3 way through corner, 128 corner elbow 3 way 90 degrees



End Wall Flanges Comprises galvanised 2 No. (Pair) Part No. 131 wall flanges



Handrails Safety yellow tube cut ready for 1500 mm post centres - 2 No. (Pair)

Ready-Made Safety Yellow Handrail Kits



Slopes and Ramps 0° - 11°

- 2 tube diameters 42.4 mm and 48.3 mm
- Posts are 1100 mm high jig assembly ensures accurate alignment of galvanised clamps
- Ready cut handrails for posts at 1500 mm centres
- Tube Galvanised or with thermoplastic durable coating 'Warm to touch'
- No cutting or welding on site Stainless steel Hex screw assembly.
- Flange bases for easy attachment to slope surface





End Post

Comprises Galvanised or Safety yellow tube 1100 mm o/all high, 152 base flange, 153 short tee, 154 2-way elbow



DDA Slope Post Comprises Galvanised or Yellow tube 1100 mm o/all high with 152 base flange, 156 2 socket cross and 125 elbow and 747 Assist Expanding Internal Swivel Bracket

Middle Post

Comprises Galvanised or Safety yellow tube 1100 mm o/all high, 152 base flange, 156 2 socket cross, 155 long tee

Level to Slope Post

Comprises Galvanised or Safety yellow tube 1100 mm o/all high, 132 base flange, 101 short tee, 125 2 way elbow and 2 x 166 adjustable knuckle



End Swivel Fixings Comprises Galvanised 2 No. (Pair) Part No. 169 swivel wall fixings




Handrails Safety yellow tube cut ready for 1500 mm post centres - 2 No. (Pair)

dlhonline.co.uk

0161 223 1990

Ready-Made Safety Yellow Handrail Kits

- 2 tube diameters 42.4 mm and 48.3 mm
- Stair posts are 1000 mm high jig assembly ensures accurate alignment of galvanised clamps
- Handrails supplied in 3200 mm lengths for cutting and joining on site
- Tube Galvanised or with thermoplastic durable coating 'Warm to touch'
- No cutting or welding on site Stainless steel Hex screw assembly.
- Flange bases for easy attachment to flat surface



Steps Kit Comprises Galvanised or Safety yellow tube 1000 mm o/all high, 132 base flange, 124 Variable Elbow (15° - 60°) Handrail to suit and 169 swivel wall fixing



DDA Swivel Post Comprises Galvanised or Yellow tube 1000 mm o/all high with 132 base flange, 101 short tee, 125 elbow both with 747 Assist **Expanding Internal Swivel Bracket**

Stair End Post

Comprises Galvanised or Safety yellow tube 1000 mm o/all high, 147 Internal Swivel Tee. 125 Two way elbow and 147 Internal, 2 x 333 Aluminium Stop Ends



DDA Swivel End Post

As DDA Swivel post but with 2 x 725 Expanding internal assist elbows and additional tubes cut to suit

Steps and Staircases



End Post with Extension

Comprises Galvanised or Safety yellow tube 1000 mm o/all high, 132 132 base flange, 101 short tee with base flange, 101 short tee with 147 Internal Swivel Tee. 125 Two way elbow and 147 Internal. 123 variable elbow. 124 variable elbow



Mid Stair Post

Comprises Galvanised or Safety yellow tube 1000 mm o/all high, 132 base flange, 101 short tee with 147 Internal Swivel Tee. 125 Two way elbow and 147 Internal Swivel Tee

dlhonline.co.uk


0161 223 1990

150 Internal **Expanding Joint**


Handrail Joints Handrails cannot be joined at posts, use

Ready-Made Galvanised Mezzanine Kits

Surface Mounted



Ready-Made Safety Yellow Mezzanine Kits



Ready-Made Side Mounted Handrails for platforms, loading dock and mezzanine floors in conformance with BS EN ISO 14122-3 : 20

Accessories and other products





301

Hexagon keys

2 sizes A,B and C,D,E

clamp sizes



302 - Flexi- ratchet & bit set



- Gate complies with BS EN ISO 14122-3:2016 height 650 mm
 Fits up to 1000 mm between posts
- Retro-fit tube clamps or bolt-on attachment
- All galvanised or Safety yellow tube with stainless steel spring
- Optional cat ladder extension kit allows step off clearance
- Rooftop barrier openings, hatches. staircases, walkways and access guarding

Massive Range Ex Stock +Tube Cutting Service

OFF

BUY ONLINE



- Sleeves sold in 1 metre lengths - Yellow and black diagonal stripe
- To improve the visibility of your pallet gates and handrails.
- Easy-fit PVC tubular sleeves - Just springs over tube and grips.
- Durable and wipe clean finish. (Used by scaffold companies).
- Fits tubes sizes B34, C42 and D48.
- Can be butted together for longer rail and is easily cut to fit.

Interclamp®

If you need to install handrailing, guard rails, pedestrian barriers or self-build any tubular structure, you won't find an easier or more economic method.

No welding required! The only tool you need to assemble is an allen key.



Dale Lifting and Handling Specialists 2 Kelbrook Road, Parkhouse Street Industrial Estate, Manchester, M11 2QA Telephone 0161 223 1990 Email mezzbarriers@dale-lifting.co.uk

dlhonline.co.uk is a division of

dlhonline.co.uk

0161 223 1990