

LIFTS ALL

*A new approach to
product handling*



powered by compressed air

*Tell us what you want to handle and
we will design and install the perfect system*



AIRBUS



BAXI

next


Join the world of weightless handling

DALE LIFTING AND HANDLING SPECIALISTS 0161 223 1990


LIFTS ALL HANDLING SYSTEM

Flexi Crane fitted with a steel frame on the wall, floor or ceiling, depending on the design of the workplace.

For floor installation the length of the column is adjustable and can be adapted for installation directly in the workplace. The boom can also be supplied telescopic and / or in a mobile version. There is always room for a Flexi Crane-lift system!



Ceiling mounted



FlexiCrane Mobile

FLEXICRANE

The multi-functional FlexiCrane follows you wherever you go - smoothly and silently!

A lift system for Your workplace

FlexiCrane is mounted with a steel pillar on the wall, in the ceiling or on the floor, depending on the design of the workplace. The length of the pillar is customised. There is always enough space for a FlexiCrane with a tailor-made gripper!

Easy installation

Thanks to the light weight design and the handy size FlexiCrane is easily installed in no time and therefore at low cost.

Super ergonomic handling solution

The low weight of the crane combined with low-friction bearings makes it very silent and smooth to work with. Using Lifts All lifting aids does not only save backs, but also time and money.

Energy effective air hoist

Since the crane is driven by compressed air, costs are even saved during the very use of FlexiCrane. Our standby mode costs nothing!

The endlessly rotating crane


Another nice feature about the FlexiCrane is that due to the clever design of air intake, the arm can actually rotate, not only a full turn - but endlessly!

Lifting aids for clean room environments

For clean room environments a FlexiCrane in stainless steel. Combined with a stainless steel lifting tools, we can thus provide most of the room classed workstations with ergonomic lifting aids. We can polish crane and lifting equipment to the requested finish, and of course delivering ATEX approval for the entire lift system.

GENERAL DATA

Max load: 65 kg
Range: 4000 mm
Rotation: 360 degrees Unlimited
Driven by: Compressed air 6-7 bar
Lacquered: Red (RAL 3020)



Floor mounted

Pillar length: 2160 - 3400 mm

Size of pillar base:
300 x 300 mm



Wall mounted

Pillar length: 500-1000 mm




Ceiling mounted

Pillar length: 150-2000 mm


LIFTS ALL HANDLING SYSTEM

MEASUREMENTS (mm)

LIFTING WITH FLEXICRANE




RANGE (mm)



LIFTS ALL HANDLING SYSTEM

LIFTING WITH FLEXICRANE



FLEXICRANE MOBILE

The new version of FlexiCrane is the portable articulated jib crane you have always been looking for. It is just as smooth and silent as the original but with a moveable base, free from attachments to the floor and - of course - still safe and stable during lifting.

Two-step-installation

To install the crane:

1. Put it down on the floor.
2. Plug in the air supply.

Done! The FlexiCrane is now ready to lift whatever you wish up to 65 kg.

GENERAL


Max load: 65 kg
Range: 4100 mm
Rotation: Unlimited 360 degrees

Total weight: 450 kg
(excl. Gripper)

Height: 2150-2750 mm
Size of pillar base:
Ø 1,490 mm.

Driven by: Compressed
air 6-7 bar


Lacquered: Red
(RAL3020)




LIFTS ALL HANDLING SYSTEM

MEASUREMENTS (mm)

LIFTING WITH FLEXICRANE



RANGE (mm)



LIFTS ALL HANDLING SYSTEM

An adaptable knuckle boom crane

Flexi Mobile Crane portability creates opportunities for the entire workplace.


The crane's height can be easily adjusted to make it possible to lift the low ceiling as well as high spaces.

Complete with a lifting tool to lift bags or a customized grippers to lift a gearbox? The grippers are tailored to optimise your handling process and can quickly be changed by the user.

MOVING THE CRANE

Moving FlexiCrane Mobile is as simple as installing: Drive down the pillar to the bottom, unplug the air supply, fold the articulated slewing arm and secure it with a strap.


Grab a pallet truck and get moving to the next work station! The convenient size of FlexiCrane also makes it easy to send by truck without having to disassemble (and later reassemble) the whole crane.




TRANSPORT MODE DATA

Total weight: 450 kg
(Bal-Trol, crane arm,
pillar and pillar base)

Measurements:
Length: 1770 mm
Width: 1490 mm
Height: 2150 mm



LIFTS ALL HANDLING SYSTEM



LIFTING WITH FLEXICRANE

Adaptable to different work stations


The movability of FlexiCrane Mobile creates opportunities for the whole workplace. Adjust the height with the pneumatic switch and you are ready to lift in spaces with low headroom as well as up to that shelf. Complete the

integrated Bal-Trol hoist with a hook for your buckets, a vacuum lifter for the carton boxes or why not a mechanical gripper to lift and tilt rolls? The grippers are changed in a minute by the user and tailor-made to optimise the desired handling process. Simple as that!



LIFTS ALL HANDLING SYSTEM

YOUR COMPLETE LIFTING SYSTEM



We are happy to make your handling weightless and ergonomic. You give us your trust and **DALE** will provide you with a superior solution for your handling.

Please contact us for a complete review of your work place handling

DALE Lifting and Handling Specialists
are the UK distributors of the LIFTS **ALL** Handling System
2 Kelbrook Road, Manchester M11 2QA

Website: www.dlhonline.co.uk Email: sales@dale-lifting.co.uk

DALE LIFTING AND HANDLING SPECIALISTS 0161 223 1990